



Thank You!

You have successfully downloaded your document from Workbenchmagazine.com. Below are some tips for Trouble-Free Printing

- 1)** Clear printer memory. If you are unable to print this document, turn off your printer for at least 15 seconds and try again.

- 2)** Print two or three pages at a time. If clearing the printer memory didn't help, try printing only two or three pages at one time, rather than sending the entire file

- 3)** If a document is required to be at an accurate scale set the page scaling option to "none" in your printer settings.

- 4)** Get advanced printer help. Visit Adobe Support for instructions in troubleshooting common printer problems.

<http://www.adobe.com/support/techdocs/316508.html>

ARBOR CUTTING DIAGRAM


2 x 8 - 72" TWO BOARDS







2 x 6 - 96" ONE BOARD




2 x 4 - 96" SIX BOARDS



2 x 2 - 96" 6 BOARDS



1 x 4 - 72" ONE BOARD



Lumber: (Canopy & Side panels)

A	(4) Arches	1½" x 7¼" x 56"
B	(2) Stretchers	¾" x 3½" x 26"
C	(1) Ridge	1½" x 5½" x 31"
D	(14) Slats	1½" x 1½" x 29½"
E	(2) Plates	1½" x 5½" x 29½"
F	(4) Legs	1½" x 5½" x 72"
G	(4) Side Rails	1½" x 3½" x 23"
H	(2) Rail Backer	1½" x 3½" x 23"
I	(4) Retainer Stp.	1½" x 1½" x 59"
J	(2) Lattice Panels	¾" x 20¾" x 59¾"

(Not Shown)

Hardware:

(32)	#8 x 2" Fh exterior woodscrews
(40)	#8 x 2¾" Fh exterior woodscrews
(16)	#8 x 3½" Fh exterior woodscrews
(24)	4" Timberlock screws or ¼" x 4" lagscrews

BENCH CUTTING DIAGRAM

2 x 6 - 72" TWO BOARDS



2 x 4 - 72" TWO BOARDS



1 x 4 - 72" SIX BOARDS





FENCE CUTTING DIAGRAM (SINGLE SECTION)

2 x 4 - 120" TWO BOARDS



1 x 4 - 96" THREE BOARDS



WING CUTTING DIAGRAM (PAIR)

2 x 6 - 48" ONE BOARD



2 x 4 - 72" TWO BOARDS



2 x 4 - 96" TWO BOARDS



1 x 4 - 96" TWO BOARDS



Lumber: (Bench)

- K (2) Ends 1½" x 3½" x 21½"
- L (1) Front Rail 1½" x 3½" x 47½"
- M (1) Back Rail 1½" x 5½" x 50½"
- N (6) Seat Planks ¾" x 3½" x 50½"
- O (1) Back Rest 1½" x 3½" x 50½"
- P (1) Seat Brace 1½" x 3½" x 16"
- Q (8) Back Slate ¾" x 3½" x 11¼"

Hardware:

- (29)#8 x 2" Fh exterior woodscrews
- (4)#8 x 2¾" Fh exterior woodscrews
- (20)#8 x 3½" Fh exterior woodscrews
- (16)4d galv. box nails (w/heads clipped)

Lumber: (for Two Wings)

- R (2) Inner Stile 1½" x 3½" x 65½"
- S (2) Outer Stile 1½" x 5½" x 61½"
- T (2) Top Rail 1½" x 5½" x 20½"
- U (2) Bottom Rail 1½" x 3½" x 20½"
- V (6) Slats ¾" x 3½" x 26¼"

Hardware: (for Two Wings)

- (32)#8 x 3½" Fh exterior woodscrews
- (24) 4d galv. box nails (heads clipped)

Lumber: (for two fence panels)

- W (2) Stiles 1½" x 3½" x 61½"
- X (2) Rails 1½" x 3½" x 56½"
- Y (8) Slats ¾" x 3½" x 26½"

Hardware: (for two fence panels)

- (16)#8 x 3½" Fh exterior woodscrews
- (36)4d galv. box nails (heads clipped)

GATE CUTTING DIAGRAM (PAIR)


2 x 6 - 48" ONE BOARD




2 x 4 - 48" ONE BOARD



2 x 2 - 96" TWO BOARDS



1 x 4 - 96" TWO BOARDS



Lumber: (for two gates)

Z (2)	Outer Stiles	1 1/2" x 1 1/2" x 37 3/4"
AA (2)	Inner Stiles	1 1/2" x 1 1/2" x 35 3/4"
BB (2)	Top Rail	1 1/2" x 5 1/2" x 20 1/2"
CC (2)	Bottom Rail	1 1/2" x 3 1/2" x 20 1/2"
DD (6)	Gate Slats	3/4" x 3 1/2" x 26 1/4"

Hardware:

- (4) 3" zinc-coated butt hinges w/screws
- (1) 4" bar-type gate latch w/screws
- (1) 1/2" x 12" zinc-coated cane bolt w/ screws
- (16) #8 x 3 1/2" Fh exterior woodscrews
- (12) 4d galvanized box nails (clip the heads)
- (1) 4"-6" length of 3/4" I.D. copper or PVC pipe