

Thank You!

You have successfully downloaded your document from Workbenchmagazine.com. Below are some tips for Trouble-Free Printing

- 1) Clear printer memory. If you are unable to print this document, turn off your printer for at least 15 seconds and try again.
- **2)** Print two or three pages at a time. If clearing the printer memory didn't help, try printing only two or three pages at one time, rather than sending the entire file
- **3)** If a document is required to be at an accurate scale set the page scaling option to "none" in your printer settings.
- **4)** Get advanced printer help. Visit Adobe Support for instructions in troubleshooting common printer problems.

http://www.adobe.com/support/techdocs/316508.html



Issue 292 Volume 61 Number 6 December 2005

MATERIALS LIST



| Part Qty T W L Material | | | | | | |
|--|-----------------------|---|-------------|-------------|--------|--------------------|
| Sawhorses (Two) | | | | | | |
| Α | End Panels | 4 | 3/4" | 16" | 161/8" | Pre-glued Pine Par |
| В | Feet | 4 | 3/4" | 31/2" | 16" | Pre-glued Pine Par |
| С | Fixed Panels | 4 | 3/4" | 16" | 19%" | Pre-glued Pine Par |
| D | Tops | 4 | 3/4" | 31/2" | 21½" | Pre-glued Pine Par |
| Е | Adjustable Panels | 2 | 3/4" | 19¾" | 16¾" | Pre-glued Pine Par |
| Sac | ddles (Two) | | | | | |
| F | Sides | 4 | 3/4" | 31/2" | 19¾" | Pine |
| G | Spacers | 2 | 7 8" | 1½" | 19¾" | Pine |
| Outfeed Support (One) | | | | | | |
| Н | Crossbar | 1 | 3/4" | 1½" | 19¾" | Pine |
| I | Risers | 4 | 3/4" | 2" | 8" | Pine |
| Platform (One) | | | | | | |
| J | Inner Stretchers | 2 | 3/4" | 1½" | 61½" | Pine |
| K | End Rails | 4 | 3/4" | 11/2" | 19%" | Pine |
| L | Wide Support Blocks | 2 | 3/4" | 35/8" | 19%" | Pine |
| M | Narrow Support Blocks | 2 | 3/4" | 2 ¾" | 19%" | Pine |
| Ν | Outer Stretchers | 2 | 3/4" | 11/2" | 72" | Pine |
| 0 | Skin Panels | 2 | 1⁄4" | 21%" | 72" | Pine Plywood |
| (82) #8 x 2" Fh Woodscrews (32) #6 x ½" Fh Woodscrews (8) #8 x 1¼" Fh Woodscrews (2) #8 x 3" Fh Woodscrews (1) ½" x ½" Cotterless Hitch Pin (2) #8 x 3" Fh Woodscrews (1) ½" x ½" x ½" x 72" Alum. Channel (4) ½"-20 x 3" Carriage Bolts (4) ½"-20 T-Knobs | | | | | | |

CUTTING DIAGRAM

%" x 48" x 96" Plywood

o




Issue 292 Volume 61 Number 6 December 2005

CUTTING DIAGRAM


3/4" x 20" x 96" Pre-glued Panel

| А | A | С | С | E | |
|---|---|---|---|---|--|
| В | В | D | D | | |

 $\frac{3}{4}$ " x 20" x 96" Pre-glued Panel



3/4" x 8" x 96" Pine



3/4" x 6" x 96" Pine

| L | L | M | М | I | |
|--------------|---|---|---|---|--|
| - | _ | Н | | | |

3/4" x 4" x 60" Pine



3/4" x 4" x 60" Pine

| _ | _ | G | |
|---|---|---|--|
| F | F | | |
| | | | |